

L Number	Hits	Search Text	DB	Time stamp
-	4965	photometr\$3 same exposure	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/05 10:57
-	14581	(next or subsequent or current) same (previous or precede\$3) same difference	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/05 11:00
-	5	(photometr\$3 same exposure) same ((next or subsequent or current) same (previous or precede\$3) same difference)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/05 11:54
-	4	still adj1 mode same (luminance or brightness or intensity) with (ccd or sensor) same (exposure or shutter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/05 11:59
-	11	still adj1 mode same (luminance or brightness) same (exposure or shutter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/05 12:07
-	3	still adj1 mode same (luminance or brightness) same (sens\$4 or ccd)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/05 13:09
-	4	("4544250"   "4623932"   "4918538"   "5115319").PN.	USPAT	2004/04/05 12:10
-	2301	(still or single) same (luminance or brightness) same (sens\$4 or ccd)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/05 13:10
-	422	((still or single) same (luminance or brightness) same (sens\$4 or ccd) ) same (exposure or shutter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/05 13:10
-	27	((still or single) same (luminance or brightness) same (sens\$4 or ccd) ) same (exposure or shutter)) and 348/220.1,221.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/05 16:16
-	2	("5459511").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/05 16:17
-	2	("5459511").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 10:20
-	4978	electronic near2 shutter	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 09:56

-	1278	(difference or variation) with (previous or preceed\$3) with (current or subsequen\$4 or next) with frame	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 10:28
-	1	(electronic near2 shutter) same ((difference or variation) with (previous or preceed\$3) with (current or subsequen\$4 or next) with frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 09:55
-	8	(electronic near2 shutter) and ((difference or variation) with (previous or preceed\$3) with (current or subsequen\$4 or next) with frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 09:55
-	1	photometr\$3 same ((difference or variation) with (previous or preceed\$3) with (current or subsequen\$4 or next) with frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 09:57
-	7229	(difference or variation) with (previous or preceed\$3) with (current or subsequen\$4 or next)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 10:06
-	2	photometr\$3 same ((difference or variation) with (previous or preceed\$3) with (current or subsequen\$4 or next))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 09:57
-	12	5459511.URPN.	USPAT	2004/04/06 09:58
-	61	((difference or variation) with (previous or preceed\$3) with (current or subsequen\$4 or next)) same exposure	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 10:07
-	12	((difference or variation) with (previous or preceed\$3) with (current or subsequen\$4 or next)) same exposure) and camera	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 10:07
-	259	aperture with electronic adj1 shutter	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 10:20
-	1	((difference or variation) with (previous or preceed\$3) with (current or subsequen\$4 or next) with frame) same exposure	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 10:29
-	38	((difference or variation) with (previous or preceed\$3) with (current or subsequen\$4 or next) with frame) and exposure	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 10:29
-	220	(aperture with electronic adj1 shutter) and camera	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 11:58

-	3	((aperture with electronic adj1 shutter) and camera) and (motion or continuous or movie) adj1 (mode or function)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 16:13
-	2	("6327423").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/06 16:13